

Table of Contents

VOLUME 82 (1992)

MAIN ARTICLES

| | |
|--|-----|
| Long-term EEG-video-audio monitoring: computer detection of focal EEG seizure patterns F. Pauri, F. Pierelli, G.-E. Chatrian and W.W. Erdly (U.S.A.) | 1 |
| EEG coherence as a predictor of spike propagation A. Glass, R.A. Zappulla, J. Nieves and S.P. Diamond (U.S.A.) | 10 |
| Partial status epilepticus: short-term prediction of seizure outcome from on-line EEG analysis J. Reiher, F. Grand'Maison and C.P. Leduc (Canada) | 17 |
| Comparison and correlation of surface and sphenoidal electrodes with simultaneous intracranial recording: an interictal study D.A. Marks, A. Katz, J. Booke, D.D. Spencer and S.S. Spencer (U.S.A.) | 23 |
| Detection of neonatal seizures through computerized EEG analysis A. Liu, J.S. Hahn, G.P. Heldt and R.W. Coen (U.S.A.) | 30 |
| Localization of the sources of EEG delta, theta, alpha and beta frequency bands using the FFT dipole approximation C.M. Michel, D. Lehmann, B. Henggeler and D. Brandeis (Switzerland) | 38 |
| Decreased alpha bandwidth responsiveness to photic driving in Alzheimer disease A.L. Politoff, N. Monson, P. Hass and R. Stadter (U.S.A.) | 45 |
| Macular dysfunction in multiple sclerosis revealed by steady-state flicker and pattern ERGs B. Falsini, A. Bardocci, V. Porciatti, R. Bolzani and M. Piccardi (Italy) | 53 |
| Electrophysiological evidence of different abilities to form cross-modal associations in children with autistic behavior J. Martineau, S. Roux, J.L. Adrien, B. Garreau, C. Barthélémy and G. Lelord (France) | 60 |
| On the possibility of independent activation of bilateral mismatch negativity (MMN) generators P. Praamstra and D.F. Stegeman (The Netherlands) | 67 |
| EEG spectra in dyslexic and normal readers during oral and silent reading D. Galin, J. Raz, G. Fein, J. Johnstone, J. Herron and C. Yingling (U.S.A.) | 87 |
| Sleep on a shortening day/night schedule T. Åkerstedt, K.I. Hume, D.S. Minors, J.M. Waterhouse and S. Folkard (Sweden, U.K.) | 102 |
| Frequency-domain localization of intracerebral dipolar sources B. Lütkenhöner (F.R.G.) | 112 |
| Detailed evaluation of evoked potentials in Wilson's disease G. Grimm, C. Madl, R. Katzenschlager, W. Oder, P. Ferenci and A. Gangl (Austria) | 119 |
| Tactile interference differentiates sub-components of N20, P20 and P29 in the human cortical surface somatosensory evoked potential S.J. Jones, T. Allison, G. McCarthy and C.C. Wood (U.S.A.) | 125 |
| Morphological characteristics of the scalp far-field potentials evoked by median nerve stimulation in infants and children K. Mutoh, T. Okuno and H. Mikawa (Japan) | 133 |
| Vector analysis of brain-stem auditory evoked potentials in patients with multiple sclerosis and subtentorial tumors P. Coutin Churchman, S. Oramas and A. Balmaseda Conde (Cuba) | 139 |
| Auditory brain-stem response in zitter rats with genetic spongiform encephalopathy F. Ochikubo, H. Gomi, K. Kitamura, Y. Yoshikawa and K. Yamanouchi (Japan) | 145 |
| The electrocorticogram in relation to physiology and behavior: a new analysis C.H. Vanderwolf (Canada) | 165 |
| Interaction of afferent impulses in the human primary sensorimotor cortex J. Huttunen, S. Ahlfors and R. Hari (Finland) | 176 |
| Generator sites of spontaneous MEG activity during sleep S.-T. Lu, M. Kajola, S.-L. Joutsiniemi, J. Knuutila and R. Hari (Finland) | 182 |
| Sequential changes in electroencephalogram continuity in very premature infants K. Goto, K. Wakayama, H. Sonoda and T. Ogawa (Japan) | 197 |
| Abnormality of background EEG determined by the entropy of power spectra in epileptic patients T. Inouye, K. Shinosaki, H. Sakamoto, S. Toi, S. Ukai, A. Iyama, Y. Katsuda and M. Hirano (Japan) | 203 |
| Quantitative EEG changes due to cerebral vasoconstriction. Indomethacin versus hyperventilation-induced reduction in cerebral blood flow in normal subjects V. Kraaier, A.C. Van Huffelen, G.H. Wieneke, H.B. Van der Worp and P.R. Bär (The Netherlands) | 208 |
| Pupillary light reflex latency in patients with multiple sclerosis H.A.M. Van Diemen, M.M.M.M. Van Dongen, J.J.P. Nauta, P. Lanting and C.H. Polman (The Netherlands) | 213 |
| The laplacian analysis of the pattern onset response in man V. Manahilov, F.C.C. Riemsdag and H. Spekreijse (The Netherlands) | 220 |

Table of Contents

VOLUME 82 (1992)

MAIN ARTICLES

| | |
|--|-----|
| Long-term EEG-video-audio monitoring: computer detection of focal EEG seizure patterns F. Pauri, F. Pierelli, G.-E. Chatrian and W.W. Erdly (U.S.A.) | 1 |
| EEG coherence as a predictor of spike propagation A. Glass, R.A. Zappulla, J. Nieves and S.P. Diamond (U.S.A.) | 10 |
| Partial status epilepticus: short-term prediction of seizure outcome from on-line EEG analysis J. Reiher, F. Grand'Maison and C.P. Leduc (Canada) | 17 |
| Comparison and correlation of surface and sphenoidal electrodes with simultaneous intracranial recording: an interictal study D.A. Marks, A. Katz, J. Booke, D.D. Spencer and S.S. Spencer (U.S.A.) | 23 |
| Detection of neonatal seizures through computerized EEG analysis A. Liu, J.S. Hahn, G.P. Heldt and R.W. Coen (U.S.A.) | 30 |
| Localization of the sources of EEG delta, theta, alpha and beta frequency bands using the FFT dipole approximation C.M. Michel, D. Lehmann, B. Henggeler and D. Brandeis (Switzerland) | 38 |
| Decreased alpha bandwidth responsiveness to photic driving in Alzheimer disease A.L. Politoff, N. Monson, P. Hass and R. Stadter (U.S.A.) | 45 |
| Macular dysfunction in multiple sclerosis revealed by steady-state flicker and pattern ERGs B. Falsini, A. Bardocci, V. Porciatti, R. Bolzani and M. Piccardi (Italy) | 53 |
| Electrophysiological evidence of different abilities to form cross-modal associations in children with autistic behavior J. Martineau, S. Roux, J.L. Adrien, B. Garreau, C. Barthélémy and G. Lelord (France) | 60 |
| On the possibility of independent activation of bilateral mismatch negativity (MMN) generators P. Praamstra and D.F. Stegeman (The Netherlands) | 67 |
| EEG spectra in dyslexic and normal readers during oral and silent reading D. Galin, J. Raz, G. Fein, J. Johnstone, J. Herron and C. Yingling (U.S.A.) | 87 |
| Sleep on a shortening day/night schedule T. Åkerstedt, K.I. Hume, D.S. Minors, J.M. Waterhouse and S. Folkard (Sweden, U.K.) | 102 |
| Frequency-domain localization of intracerebral dipolar sources B. Lütkenhöner (F.R.G.) | 112 |
| Detailed evaluation of evoked potentials in Wilson's disease G. Grimm, C. Madl, R. Katzenschlager, W. Oder, P. Ferenci and A. Gangl (Austria) | 119 |
| Tactile interference differentiates sub-components of N20, P20 and P29 in the human cortical surface somatosensory evoked potential S.J. Jones, T. Allison, G. McCarthy and C.C. Wood (U.S.A.) | 125 |
| Morphological characteristics of the scalp far-field potentials evoked by median nerve stimulation in infants and children K. Mutoh, T. Okuno and H. Mikawa (Japan) | 133 |
| Vector analysis of brain-stem auditory evoked potentials in patients with multiple sclerosis and subtentorial tumors P. Coutin Churchman, S. Oramas and A. Balmaseda Conde (Cuba) | 139 |
| Auditory brain-stem response in zitter rats with genetic spongiform encephalopathy F. Ochikubo, H. Gomi, K. Kitamura, Y. Yoshikawa and K. Yamanouchi (Japan) | 145 |
| The electrocorticogram in relation to physiology and behavior: a new analysis C.H. Vanderwolf (Canada) | 165 |
| Interaction of afferent impulses in the human primary sensorimotor cortex J. Huttunen, S. Ahlfors and R. Hari (Finland) | 176 |
| Generator sites of spontaneous MEG activity during sleep S.-T. Lu, M. Kajola, S.-L. Joutsiniemi, J. Knuutila and R. Hari (Finland) | 182 |
| Sequential changes in electroencephalogram continuity in very premature infants K. Goto, K. Wakayama, H. Sonoda and T. Ogawa (Japan) | 197 |
| Abnormality of background EEG determined by the entropy of power spectra in epileptic patients T. Inouye, K. Shinosaki, H. Sakamoto, S. Toi, S. Ukai, A. Iyama, Y. Katsuda and M. Hirano (Japan) | 203 |
| Quantitative EEG changes due to cerebral vasoconstriction. Indomethacin versus hyperventilation-induced reduction in cerebral blood flow in normal subjects V. Kraaier, A.C. Van Huffelen, G.H. Wieneke, H.B. Van der Worp and P.R. Bär (The Netherlands) | 208 |
| Pupillary light reflex latency in patients with multiple sclerosis H.A.M. Van Diemen, M.M.M.M. Van Dongen, J.J.P. Nauta, P. Lanting and C.H. Polman (The Netherlands) | 213 |
| The laplacian analysis of the pattern onset response in man V. Manahilov, F.C.C. Riemsdag and H. Spekreijse (The Netherlands) | 220 |

| | |
|--|-----|
| Estimates of visually evoked cortical currents S.P. Ahlfors, R.J. Ilmoniemi and M.S. Hämäläinen (Finland) | 225 |
| Epileptiform activity in chronically isolated cerebral cortex in humans S.J.C. Pierre-Louis and F. Morrell (U.S.A.) | 248 |
| Detection and evolution of rhythmic components in ictal EEG using short segment spectra and discriminant analysis P. Hölfer and M. Egli (Switzerland) | 255 |
| Changes in cortical activity when subjects scan memory for tones L. Kaufman, S. Curtis, J.-Z. Wang and S.J. Williamson (U.S.A.) | 266 |
| Cortical DC potential shifts accompanying auditory and visual short-term memory W. Lang, A. Starr, V. Lang, G. Lindinger and L. Deecke (Austria) | 285 |
| Properties of neuronal activity in cortex and subcortical nuclei of the human brain during single-word processing N.P. Bechtereva, Y.G. Abdullaev and S.V. Medvedev (Russia) | 296 |
| Event-related desynchronization: the effects of energetic and computational demands F. Boiten, J. Sergeant and R. Geuze (The Netherlands) | 302 |
| Endogenous event-related potentials as indices of dementia in multiple sclerosis patients B.S. Giesser, M.M. Schroeder, N.G. LaRocca, D. Kurtzberg, W. Ritter, H.G. Vaughan and L.C. Scheinberg (U.S.A.) | 320 |
| An event-related potential study of controlled and automatic processes in 6-8-year-old boys with attention deficit hyperactivity disorder P. Robaey, F. Breton, M. Dugas and B. Renault (France, Canada) | 330 |
| Intermodal selective attention. I. Effects on event-related potentials to lateralized auditory and visual stimuli D.L. Woods, K. Alho and A. Algazi (U.S.A., Finland) | 341 |
| Intermodal selective attention. II. Effects of attentional load on processing of auditory and visual stimuli in central space K. Alho, D.L. Woods, A. Algazi and R. Näätänen (U.S.A., Finland) | 356 |
| ERP components related to stimulus selection processes M.D. Paz-Caballero and E. García-Austt (Spain) | 369 |
| Vestibular short latency responses to pulsed linear acceleration in unanesthetized animals T.A. Jones (U.S.A.) | 377 |
| Multimodality imaging and intracranial EEG display for stereotactic surgery planning in epilepsy L. Lemieux, S. Lester and D. Fish (U.K.) | 399 |
| Sequential EEG mapping may differentiate "epileptic" from "non-epileptic" rolandic spikes W. Van der Meij, A.C. Van Huffelen, G.H. Wieneke and J. Willemse (The Netherlands) | 408 |
| Regional coherence and the transfer of ictal activity during seizure onset in the medial temporal lobe R.B. Duckrow and S.S. Spencer (U.S.A.) | 415 |
| Automatic EEG interpretation: a new computer-assisted system for the automatic integrative interpretation of awake background EEG M. Nakamura, H. Shibasaki, K. Imajoh, S. Nishida, R. Neshige and A. Ikeda (Japan) | 423 |
| Influence of lateral gaze on electroencephalographic spectral power B. De Toffol, A. Autret, B. Gaymard and E. Degiovanni (France) | 432 |
| Electroencephalographic studies in workers exposed to solvents or pesticides E.J. Jonkman, A.W. De Weerd, D.C.J. Poortvliet, R.J. Veldhuizen and H. Emmen (The Netherlands) | 438 |
| Effect of the cholinesterase inhibiting substance galanthamine on human EEG and visual evoked potentials G. Holl, M. Straschill, T. Thomsen, J.P. Fischer and H. Kewitz (F.R.G.) | 445 |
| Low contrast stimuli enhance PERG sensitivity to the visual dysfunction in Parkinson's disease A. Peppe, P. Stanzione, F. Pierelli, E. Stefano, P.A. Rizzo, M. Tagliati and C. Morocutti (Italy) | 453 |
| Varying expressions of alerting mechanisms in wakefulness and across sleep states L.D. Sanford, A.R. Morrison, W.A. Ball, R.J. Ross and G.L. Mann (U.S.A.) | 458 |
| Frontal DC potentials in auditory selective attention S. Asenbaum, W. Lang, A. Egkher, G. Lindinger and L. Deecke (Austria) | 469 |
| Relation of a negative ERP component to response inhibition in a Go/No-go task E. Jodo and Y. Kayama (Japan) | 477 |

SHORT COMMUNICATIONS

| | |
|---|-----|
| Measurement of interhemispheric time differences in generalised spike-and-wave P.J. Allen, S.J.M. Smith and C.A. Scott (U.K.) | 81 |
| Neuromagnetic mismatch fields to single and paired tones R. Hari, J. Rif, J. Tiihonen and M. Sams (Finland) | 152 |
| Very high-frequency rhythmic activity during SEEG suppression in frontal lobe epilepsy P.J. Allen, D.R. Fish and S.J.M. Smith (U.K.) | 155 |
| Computer-assisted placement of electrodes on the human head J.F. Echallier, F. Perrin and J. Pernier (France) | 160 |
| Unilateral 14 and 6 Hz positive bursts A. Beydoun and I. Drury (U.S.A.) | 310 |
| Prediction of the side of hand movements from single-trial multi-channel EEG data using neural networks G. Pfurtscheller, D. Flotzinger, W. Mohl and M. Peltoranta (Austria) | 313 |
| Relationship between vertex potentials and magnitude of pre-pain and pain sensations evoked by electrical skin stimuli J. Brennum and T.S. Jensen (Denmark) | 387 |
| A simple format for exchange of digitized polygraphic recordings B. Kemp, A. Väri, A.C. Rosa, K.D. Nielsen and J. Gade (The Netherlands, Finland, Portugal, Denmark) | 391 |

REVIEW ARTICLE

- Design principles for computerized EEG monitoring
R.P. Lesser, W.R.S. Webber and R.S. Fisher (U.S.A.) 239

BOOK REVIEWS

- Evoked potential manual: a practical guide to clinical application, 2nd revised edition
edited by E.J. Colon and S.L. Visser 164
- GABA_B receptors in mammalian function
edited by N.G.Z. Bowery, H. Bittiger and H.-R. Olpe 394
- Physiology, pharmacology and development of epileptogenic phenomena
edited by M.R. Klee, H.D. Lux and E.-J. Speckmann 394
- Neuronal networks of the hippocampus
by R.B. Traub and R. Miles 394
- Neurobiology of opioids
by O.F.X. Almeida and T.S. Shippenberg 395

EDITORIALS

- Editorial comment
G.G. Celesia (U.S.A.) 237
- A consensus statement on relative merits of EEG and MEG
F. Mauguière (France) 317
- Letters to the Editor* 85
- Society Proceedings* 1P, 6P, 10P, 12P, 15P, 37P, 66P, 74P, 83P, 87P, 89P, 93P, 95P, 99P, 101P
- Erratum* 396
- Index of Authors to Volume 82 (1992)* 483
- Index of Subjects to Volume 82 (1992)* 487
- Table of Contents to Volume 82 (1992)* 492

